



VR-6 sprinter

Just packed.





VR-6 sprinter

The integrated, compact and high performance solution for punnets and trays packaging.


HIGH PERFORMING AUTOLOADING IN A COMPACT SIZE

This system can autoloading and pack up to 120 packs/minute in just 5 meters. Can match needs for high production rate even with small space available. It can allow a dramatic reduction of labor costs and a significant improvement of the efficiency of the packaging process.



FAST AND FLEXIBLE PRODUCTION PROCESS

Quick and flexible, VR 6 Sprinter can not only handle a fast and constant pace, but can also promptly adapt to an irregular production flow. It can easily handle products arriving at different speeds and, furthermore, allows to position products at right distance, both in case they are too close or too far away between them.





VR 6 SPRINTER TOUCH-SCREEN
CONTROL PANEL



STANDARD LINE

GREAT VERSATILITY

It can quickly adapt to punnets and trays of different shape, material and weight. It is then very easy to work with a wide variety of containers and maximize its capacity.

EASY TO MANAGE

Easy handling of machine through a simple and intuitive touch screen panel. It allows quick selection of products formats, change of parameters and the check of correct functioning.

SPEED

Cycles/Min.: up to 120
Meters/Min.: 30

RANGE OF DIMENSIONS OF PRODUCT

Length: 80-350 mm
Width: 10-240mm
Height: 10-120mm

FILM REEL SIZES

Max. width 600 mm
Min. internal diameter 70 mm
Max. external diameter 350 mm
Max. weight 35 kg

PACKING MATERIAL

BOPP, micro-perforated, macro-perforated type polypropylene, laminate, different permeability films, etc...

ELECTRIC DATA

Single phase. 220V. 50/60Hz.

VR-6 sprinter



www.rgdmape.com